

Declassified in Part - Sanitized Copy Approved for Release 2012/02/01: CIA-RDP84T00491R000100020001-4

## **DISSEMINATION CONTROL ABBREVIATIONS**

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved
Dissemination and Extraction of Information

ORCON- Dissemination and Extract Controlled by Originator

REL . . .

This Information has been Authorized for

Release to . . .



(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER  Page 1 of 1 Attachment to NPIC/FFG 2  EVIDENCE OF SS-X-25 MOEILE ICEM LAUNCH FLESTER ICEM LAUNCH TEST SITE 23, USER  1. SIGNIFICANCE: EVIDENCE THAT AN SS-X-25 ICEM WAS LAUNCHED FROM A MCDILE LAUNCHER IS OBSERVED.  2. RENIARKS: A FOCK-MARKED ARFA IS OSSERVED IN THE SNOW NEAR THE FOINT WHIERE A CANVAS-COVERED PROBABLE TANAPOPTER-ERECTER-LAUNCHER (TEL.) WAS POSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE SOCF OF THE CLOSED TYPE C SINCLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPRINTS ARE ON THE APRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILD DOOR IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS CHEEFVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON MICHAEL ACADAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO POCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. COCKIDINATES 63-00-28N 041-32-50E  COMMENTS AND QUEKIES FEGARDING THIS PRIEFING BOARD MAY EF DIRECTED TO		TOP	SECRET RUEE	
Page 1 of 1  COPY  EVIDENCE OF \$5-X-25 MOBILE ICEM LAUNCH FLESETSK ICEM LAUNCH TEST SITE 23, USER  1. SIGNIFICANCE: EVIDENCE THAT AN \$5-X-25 ICEM WAS LAUNCHED FROM A MOBILE LAUNCHER IS OBSERVED.  2. RENAMES: A FOCK-MAFKED AFFA IS OBSERVED IN THE SNOW NEAR THE FOINT WHERE A CANVAS-COVERED FROGABLE TIANSPORTER-FRECTER-LAUNCHEF (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKE ARE ON THE FOOF OF THE CLOSED TYPE C SINGLE-BAY GAFAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE AFFON NEXT TO THE FOOFSELE AZINUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OBSERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROCREES AT 11402 on WHEN A CANVAS-COVERED FEOBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE AFRON. NO FOCK MARKE WERE DISCERNIBLE THEN. (TSR)  These noise have been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytical ways. Then uses happed been prepared for booking purposes and and should not be used for detailed analytic purposes.		(-) NATIONAL BHOTO	OCE ARMIC INTERPRETATION CENTER	
COPY				
EVIDENCE OF SS-X-25 MOBILE ICEM LAUNCH FLESETER ICEM LAUNCH TEST SITE 23, USER  1. SIGNIFICANCE: EVIDENCE THAT AN SS-X-25 ICEM WAS LAUNCHED FROM A MOBILE LAUNCHEF IS OBSERVED.  2. REMARKS: A POCK-MARKED ARFA IS OBSERVED IN THE SNOW NEAR THE POINT WHERE A CANNAS-COVERED PROBABLE TYANSPOPTER-ERECTER-LAUNCHEF (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE ROOF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK MPFINTS ARE ON THE APRON NEXT TO THE FOSSIPLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS CESERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON WHEN A CANNAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO PCCK MARKS WERE DISCERNIBLE THEN. (TER)  3. CCOMMENTS AND QUELIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO			Attachment to	NPIC/PEG 2/
FLESETEK ICEM LAUNCH TEST SITE 23, USER  1. SIGNIFICANCE: EVIDENCE THAT AN SS-X-25 ICEM WAS LAUNCHED FROM A MCEILE LAUNCHER IS OBSERVED.  2. RENARKS: A PCCK-MARKED ARFA IS OBSERVED IN THE SNOW NEAR THE POINT WHERE A CANVAS-COVERED FROBABLE THANSPORTER-ERECTER-LAUNCHER (TELL) WAS FOSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE ROOF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINITS ARE ON THE APRON NEXT TO THE POSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OBSERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO POCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES FEGARDING THIS ERIEFING BOARD MAY EF DIRECTED TO	Сору		C V OF MODILE TODM I MINCH	
A MODILE LAUNCHER IS OBSERVED.  2. REMARKS: A POCK-MARKED ARPA IS OBSERVED IN THE SNOW NEAR THE POINT WHERE A CANVAS-COVERED PROBABLE TIANSPORTER-ERECTER-LAUNCHEF (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE ROCF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE AFRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OBSERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 on WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO FOCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCCRDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY EF DIRECTED TO		FLESETSK ICEM	LAUNCH TEST SITE 23, USER	
A MODILE LAUNCHER IS OBSERVED.  2. REMARKS: A POCK-MARKED ARPA IS OBSERVED IN THE SNOW NEAR THE POINT WHERE A CANVAS-COVERED PROBABLE TIANSPORTER-ERECTER-LAUNCHEF (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE ROCF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE AFRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OBSERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 on WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO FOCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCCRDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY EF DIRECTED TO				
2. REMARKS: A POCK-MARKED AREA IS OESERVED IN THE SNOW NEAR THE POINT WHERE A CANVAS-COVERED FROBABLE TIANSPORTER-ERECTER-LAUNCHEF (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKE ARE ON THE ROOF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE APRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILD DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OESERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO POCK MARKE WERE DISCERNIBLE THEN. (TSR)  3. CCORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGAEDING THIS PRIEFING BOARD MAY EF DIRECTED TO	1. SIGNIFI			NCHED FROM
THE POINT WHERE A CANVAS-COVERED FROBABLE TIANSPORTER-ERECTER-LAUNCHER (TEL) WAS POSITIONED ON ADDITIONAL FOCK MARKS ARE ON THE ROCF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SEG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE APRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS CESERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGREES AT 11402 ON WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED WHICLE WERE ON THE APRON. NO POCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared to	2. REMARKS	s: A POCK-MARKED	AREA IS OBSERVED IN THE SNOW	NEAR
ADDITIONAL FOCK MARKS ARE ON THE ROOF OF THE CLOSED TYPE C SINGLE-BAY GARAGE (SBG) NEARBY. TEL LEVELING JACK IMPFINTS ARE ON THE APRON NEXT TO THE POSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOF IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS OSSERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO POCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	THE POI	ORTER-ERECTER-LAUN	CHER (TEL) WAS POSITIONED ON	
JACK IMPFINTS ARE ON THE APRON NEXT TO THE FOSSIBLE AZIMUTH ALIGNMENT DEVICE. THE SILO DOOR IS CLOSED, AND NO EVIDENCE OF DISTURBANCE IS CESERVED AROUND IT. PRELAUNCH ACTIVITY WAS IN PROGRESS AT 11402 ON WHEN A CANVAS-COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS-COVERED VEHICLE WERE ON THE APRON. NO PCCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	CLOSED	ADDITIONAL TYPE C SINGLE-BAY	FOCK MARKS ARE ON THE ROOF GARAGE (SBG) NEARBY. TEL L	OF THE EVELING
PROGRESS AT 11402 on WHEN A CANVAS—COVERED FROBABLE TEL AND AN ASSOCIATED CANVAS—COVERED VEHICLE WERE ON THE APRON. NO POCK MARKS WERE DISCERNIBLE THEN. (TSR)  3. CCORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for the parti	JACK IN	APFINTS ARE ON THE ENT DEVICE. THE S	APRON NEXT TO THE FOSSIBLE ILO DOOF IS CLOSED, AND NO E	AZIMUTH VIDENCE OF
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for the particular briefing board(s) they were prepared f	DISTUR	BANCE IS OBSERVED	AROUND IT. PRELAUNCH ACTIVI	TY WAS IN
COORDINATES 63-00-28N 041-32-50E  COMMENTS AND QUERIES REGARDING THIS PRIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	PROBABI	LE TEL AND AN ASSO	CIATED CANVAS-COVERED VEHICL	E WERE ON
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	THE AP	- NO FOCK HARK	E MEND DICCHMITED THE (4	
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
COMMENTS AND QUERIES REGARDING THIS ERIEFING BOARD MAY BE DIRECTED TO  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	3.	CCORDINAT	TES 63-00-28N 041-32-50E	
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for	COMMEN	TS AND QUERIES REC	SARDING THIS BRIEFING BOARD M	1AY BE
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
lytical work. Their use should be restricted to the particular briefing board(s) they were prepared for				
and must be considered valid only for the reporting period as indicated by the date of issue.	These notes have	been prepared for briefing purposes	s only and should not be used for detailed ana-	
	lytical work. Thei and must be consi	r use should be restricted to the part dered valid only for the reporting pe	riod as indicated by the date of issue.	
and Methods Involved TOP SECRET RUFF	WARNING NOTIC			

Declassified in Part - Sanitized Copy Approved for Release 2012/02/01 : CIA-RDP84T00491R000100020001-4